

Suicides in *Ilam* District of Nepal

Nawa Raj Subba

Pages: 137-141 Published Online: Oct. 12, 2015

DOI: [10.11648/j.lajap.20150406.11](https://doi.org/10.11648/j.lajap.20150406.11) Views [238](#) Downloads [25](#)

A Cross-Sectional Study of Reading Rocks: An Approach to Support and Motivate Vulnerable Readers

Sydney Kerr, Hilary Scruton, John McNamara

Pages: 142-145 Published Online: Oct. 14, 2015

DOI: [10.11648/j.lajap.20150406.12](https://doi.org/10.11648/j.lajap.20150406.12) Views [149](#) Downloads [18](#)

Child Victimization at Working Places in Bangladesh

Md. Kamruzzaman

Pages: 146-149 Published Online: Oct. 22, 2015

DOI: [10.11648/j.lajap.20150406.13](https://doi.org/10.11648/j.lajap.20150406.13) Views [464](#) Downloads [24](#)

Learning Styles Among Undergraduate Nursing Students' in School of Nursing and Midwifery, Tehran University of Medical Sciences, Tehran, Iran

Addis Adera Gebru, Shahrazad Ghiyasvandian, Noorodin Mohammadi

Pages: 150-156 Published Online: Oct. 28, 2015

DOI: [10.11648/j.lajap.20150406.14](https://doi.org/10.11648/j.lajap.20150406.14) Views [146](#) Downloads [17](#)

Factorial Invariance of Academic Self-Efficacy Scale in Men and Women University Students

Judith M. Rodriguez-Villalobos, Maria C. Zueck, Fernando Mondaca, Juan F. Aguirre

Pages: 157-162 Published Online: Oct. 31, 2015

DOI: [10.11648/j.lajap.20150406.15](https://doi.org/10.11648/j.lajap.20150406.15) Views [108](#) Downloads [16](#)

Self-Concept in Young Mexicans, a Comparison by Gender

Jose R. Blanco, Judith M. Rodriguez-Villalobos, Juan C. Barron, Hector L. Medina

Pages: 163-165 Published Online: Oct. 31, 2015

DOI: [10.11648/j.lajap.20150406.16](https://doi.org/10.11648/j.lajap.20150406.16) Views [122](#) Downloads [14](#)

A Gender Study on Mexican College Students' Body-Image Perception

Jose R. Blanco, Nestor E. Rivera, Javier B. Gonzalez, Judith M. Rodriguez-Villalobos

Pages: 166-169 Published Online: Nov. 3, 2015

DOI: [10.11648/j.lajap.20150406.17](https://doi.org/10.11648/j.lajap.20150406.17) Views [161](#) Downloads [19](#)

The Role of Educational Counseling in Reducing Conduct Disorders Among Students of Primary Stage in Nablus Governorate

Fayez Azez Mohamad Mahamid, Ahmed Awad Amin Mahmoud Raba

Pages: 170-177 Published Online: Nov. 16, 2015

DOI: [10.11648/j.lajap.20150406.18](https://doi.org/10.11648/j.lajap.20150406.18) Views [125](#) Downloads [13](#)

The Structure of Intellectual Abilities of Special Olympics Football Players

Dragan Popovic, Evagelia Boli, Milos Popovic, Vladimir Savic, Jasna Popovic, Milica Bojovic

Pages: 178-182 Published Online: Dec. 16, 2015

DOI: [10.11648/j.lajap.20150406.19](https://doi.org/10.11648/j.lajap.20150406.19) Views [84](#) Downloads [6](#)

Factorial Composition of the Self-efficacy Problem Solving and Communication Scale in Mexican University Students

Juan C. Barron, Judith M. Rodriguez-Villalobos, Nestor E. Rivera, Francisco Munoz

Pages: 183-187 Published Online: Dec. 25, 2015

DOI: [10.11648/j.lajap.20150406.20](https://doi.org/10.11648/j.lajap.20150406.20) Views [68](#) Downloads [8](#)

Abstracting and Indexing

WorldCat

WorldCat is the world's largest network of library content and services. WorldCat libraries are dedicated to providing access to their resources on the Web, where most people start their search for information.

Academickeys

AcademicKeys.com is the premier source for academic employment. Academickeys' 17 discipline-focused sites offer comprehensive information about faculty, educational resources, research interests, and professional activities pertinent to institutions of higher education. More than 89% of the top 120 universities (as ranked by US News and World Report) are posting their available higher ed jobs with AcademicKeys.com.

Researchbib

ResearchBib, which is providing a global and local service for researcher, is a free academic resource publishing system that is flexible, easy to use.

Directory of Research Journals Indexing

The Directory of Research Journal Indexing (DRJI) is to increase the visibility and ease of use of open access scientific and scholarly journals thereby promoting their increased usage and impact. DRJI supply champion has access to global-renowned content in all discipline areas including magazine and journal articles.

JournalSeek

Genamics JournalSeek is the largest completely categorized database of freely available journal information available on the internet. The database presently contains 100101 titles. Journal information includes the description (aims and scope), journal abbreviation, journal homepage link, subject category and ISSN. Searching this information allows the rapid identification of potential journals to publish your research in, as well as allow you to find new journals of interest to your field.

Polish Scholarly Bibliography

Polish Scholarly Bibliography (PBN) is a portal of the Polish Ministry of Science and Higher Education, collecting information on publications of Polish scientists and Polish and foreign scholarly journals. PBN is a part of POL-on - The System of Information on Higher Education.

Electronic Journals Library

The Elektronische Zeitschriftenbibliothek EZB (Electronic Journals Library) offers an effective use of both scientific and academic journals publishing full text articles in the internet.

This service has been developed at the Universitätsbibliothek Regensburg (University Library of Regensburg) in cooperation with the Universitätsbibliothek der Technischen Universität München (University Library of the Technical University of Munich).

Zeitschriftendatenbank

The ZDB is the world's largest specialized database for serial titles (journals, annuals, newspapers etc., incl. e-journals). The ZDB-network is managed by the Staatsbibliothek zu Berlin; the database is held on a server of the Deutsche Nationalbibliothek.

The ZDB actually contains more than 1.6 million bibliographic records of serials from the 16th century onwards, from all countries, in all languages, held in 4.300 German and Austrian libraries, with 11.5 million holdings information. It does not contain contents, i. e. journal articles.

EZB

The Electronic Journals Library was founded in 1997 by the University Library of Regensburg in co-operation with the Technische Universität München University Library within the framework of a project. The aim of this project was to present e-journals to the library users in a clearly arranged user-interface and to create for the EZB member libraries an efficient administration tool for e-journal licences.

Wissenschaftszentrum Berlin

The WZB Berlin Social Research Center conducts basic research with a focus on problems of modern societies in a globalized world. The research is theory-based, problem-oriented, often long-term and mostly based on international comparisons.

A Gender Study on Mexican College Students' Body-Image Perception

Jose R. Blanco, Nestor E. Rivera, Javier B. Gonzalez, Judith M. Rodriguez-Villalobos*

Faculty of Physical Culture Sciences, Autonomous University of Chihuahua, Chihuahua, México

Email address:

jurodrig@uach.mx (J. M. Rodríguez-Villalobos)

To cite this article:

Jose R. Blanco, Nestor E. Rivera, Javier B. Gonzalez, Judith M. Rodriguez-Villalobos. A Gender Study on Mexican College Students' Body-Image Perception. *American Journal of Applied Psychology*. Vol. 4, No. 6, 2015, pp. 166-169. doi: 10.11648/j.ajap.20150406.17

Abstract: The purpose of the present study is to compare the scores on current, ideal, and social body shape and body size dissatisfaction between Mexican male and female college students. A total sample of 1,497 participants, 739 women and 758 men, aged 18-29 years participated in this study. A quantitative approach with a descriptive and transversal survey design was used. All the participants completed the Contour Drawing Rating Scale. The results of the one-way multivariate analysis of variance, followed by the one-way univariate analyses of variance, showed that compared to men, women expressed a greater discrepancy between ideal and actual body shape and lower score of ideal body shape. However, in the current body shape and social body shape no statistically significant differences were found. Because of the found body-image perception differences between men and women, results suggest that in order to design any intervention for improving students' perceived body image, the gender variable should be taken into account.

Keywords: Body Image, Gender Differences, Body Size Dissatisfaction, Figure Rating Scale

1. Introduction

In the past few years, modern societies have overrated body image; hence, people worry too much about body weight, and even if such standards are currently considered aesthetic, they are not necessarily healthy. These body-image / body-weight parameters may have negative effects expressed via body dissatisfaction. Rejection is manifested as the degree to which individuals accept or disdain their body and/or in their body-image distortion, the inaccuracy to determine their body size [1].

The ideal "thin" person and the concerns about weight come from a cultural ideal although nowadays it is considered aesthetic, this is, only a passing fashion and not necessarily healthy nor accessible which could have negative consequences as great concern about weight and body image that can be expressed as body size dissatisfaction, seen as the extent in which individuals value or despise their bodies in distortion to body image, that is the lack of accuracy in body size determination [2].

The ideal thin-weight and worries about weight come from a cultural idea, that even nowadays is considered esthetic, it is just a fashion and it is not necessarily healthy or accessible, which might have negative consequences that generate

anxiety such as a great worry about weight and having good physical shape which could be shown as body dissatisfaction that reveals how individuals value or despise their own bodies, and/or their body distortion, which is the lack of precision in determining the body size [1].

The body image and the esthetic norms that actually rule the occidental world can affect the physiological development in men as well as in women, but are pre-adolescent and adolescent women who present a higher tendency on having problems doing the body image elaboration linked to development problems on alimentary behaviors [3, 4]. The previous information is because the "beauty and thinness" standards are especially strict for them [5].

Specially adolescence and youth are very vulnerable stages to experience body image problems since there are moments in this vital cycle characterized by physiologic, emotional and cognitive changes that contribute to increase the physical appearance concern [6, 7]. Besides, in these stages, the wish of getting thinner or being thin generates one of the most notable risk factors for alimentary behavior disorders [8].

Raich [9] says that in a society that glorifies beauty, is not strange that youth and health increase the concern of physical appearance. In fact every year millions of pesos are spend on improving physical appearance. But excessive worry might be highly perturbing and even incapacitating for a lot of people.

Body-image dissatisfaction applies to the body as a whole or parts of it. This dissatisfaction is seen from both, the influence of the current trending aesthetic body standards, as well as the difference between the individual's perception of his/her actual shape and the ideal one [10]. Without a doubt, wishing for a weight change, hence the possibility of developing an eating disorder is the result of body-image dissatisfaction. The desire to change one's weight to have the perfect image manifests itself in a stressed tendency towards perfectionism, which sets the individual on a chase for imitating unreachable models; thence, generating a deep dissatisfaction with one's body image. Consequently, this sets the path to possibly ignite and settle into eating disorders [11].

Most of the investigators [6, 8, 12-14] on alimentary behavior disorders, agree that these come from several unplanned situations, highlighting the worry for body shape and getting on diets, but most of all losing weight, which specialists consider risky these kind of behaviors [6, 13, 15]

Reference [16] studies, as well as [17] research reveal a larger female tendency for eating disorders compared to their male counterparts. This inclination may be due to the more demanding standards on the female body-image stereotype imposed on women by society. These imposed demands lead women into extreme behavior, even against their own health, to reach the desired thinness look [18, 19].

Therefore, such evidence highlights the relevance of inquiring whether being of a specific gender produces or not physical and/or cognitive benefits contributing to decrease physical self-consciousness by improving one's body-image perception.

The present study aims at outlining differences and similarities between male and female, Mexican, college students regarding their perceived current, ideal, and social body image and their body dissatisfaction. The study takes into consideration the fact that in the past few years body image has boomed immensely in modern societies, some of which have created a whole subculture based on the perception and importance of the ideal image [2].

The purpose of the present applied research project is to provide information enhancing education with a higher degree of quality in the context of attention to diversity. This study aims at pedagogically contributing to the elucidation of the conforming elements of a whole human development model. The underlying basis is that educational efforts must focus on fostering students' self-worth and competence feelings, nurturing self-esteem and self-concept which in turn will increase motivation for achievement, interpersonal relationships, and the particular means to perform various tasks and face challenges.

2. Method

2.1. Participants

A sample of 1,497 Mexican college students, 739 women and 758 men, aged 18-29 years ($M = 20.74$; $SD = 2.30$) participated in the present study. A convenience sampling

was used in order to try covering the different school levels included in the cross-section.

2.2. Instrument

Scale for body shape estimation adapted and computerized for Gastélum and Blanco [20] from the original version "Contour Drawing Rating Scale" (CDRS) of Thompson and Gray [21] was implemented. The CDRS consists of nine female figure drawings (for female participants) or a male figure (for male participants). Each drawing increases in size from extremely thin (1) to very obese (9). Participants are asked to rate their current, ideal and social body shape. The discrepancy between the ideal and current size scores is an index of body size dissatisfaction




Figure 1. Example response for items of the questionnaire. Women




Figure 2. Example response for item of the questionnaire. Men

2.3. Design

A quantitative approach with a descriptive and transversal survey design was used [22]. The independent variable was gender (male and female) and the dependent variables were the scores on body shape (current, ideal and social) and body size dissatisfaction (ideal minus current body shape).

2.4. Procedure

College students were invited to participate in the present study. These students were fully informed about all the features of the project. Then, all the students who had agreed to participate were asked to sign a written informed consent. After the students' approvals were obtained, participants completed the above mentioned questionnaire by means of the instrument module administrator of the Scales Editor Version 2.0 [23].

Participants completed the questionnaire in the computer labs at their schools during a session. At the beginning of the session, researchers gave a general introduction on the importance of the research project and how to access the questionnaire through the software. Once the participants accessed the editor, instructions on how to correctly fill out the questionnaire appeared before the instrument. Additionally, participants were advised to ask for help if confused concerning either the instructions or the clarity of a particular item. Completion of the entire questionnaire took approximately 10 minutes. At the end of the session, their participation was welcomed. Afterwards, when all the participants had completed the questionnaire, the data were collected by means of the results generator module of the Scales Editor Version 2.0 [23].

2.5. Data Analysis

Descriptive statistics (means and standard deviations) for

Table 1. MANOVA results for gender differences in the four body shape variables.

	Women (<i>n</i> = 739)	Men (<i>n</i> = 758)	<i>F</i>	<i>p</i>	η^2
Current body shape	4.12 (0.87)	4.096 (0.77)	54.628	<.001	.128
Ideal body shape	3.69 (0.69)	4.01 (0.41)	0.364	.547	.000
Social body shape	4.17 (1.16)	4.08 (1.02)	174.918	<.001	.105
Body size dissatisfaction	0.70 (0.67)	0.47 (0.55)	2.617	.106	.002
			49.420	<.001	.032

Note. Descriptive values are reported as mean (standard deviation).

4. Discussion and Conclusions

Results show that even though there were no significant differences between men and women's current and social shape perception, women exhibit more body dissatisfaction; besides, they choose thinner ideal shape models to represent their ideal shape. This result mirrors what other studies have reported: women, compared to same-age, same educational level men, usually wish to be thinner or to lose weight, regardless of whether it is necessary [24-27]; and they seem to be more dissatisfied with their body image [18, 25].

Analyzed data also point at women being more susceptible victims of a sociocultural pressure promoting a far from real beauty canon via media, family, and life partners, as shown by [10, 28-30].

Furthermore, gender differences found regarding body-image perception suggest the need to incorporate the gender variable in any effort aiming at improving body-image perception. Nevertheless, it is key to promote further research, since the topic of body-image perception and dissatisfaction

all the variables were calculated. Subsequently, after verifying that the data met the assumptions of parametric statistical analyses, a one-way multivariate analysis of variance (MANOVA), followed by the one-way univariate analysis of variance (ANOVA), were used to examine the differences between men and women on the reported body shape (current, ideal and social) and index of body size dissatisfaction scores. Moreover, the effect size was estimated using the eta-squared (η^2). All statistical analyses were performed using the SPSS version 20.0 for Windows (IBM® SPSS® Statistics 20). The statistical significance level was set at $p < .05$.

3. Results

Table 1 shows the mean values and standard deviations of the body shape variables, as well as the results of the MANOVA and the follow-up univariate ANOVAs. The MANOVA results indicated overall statistical significant differences between genders on the body shape scores (Wilks' $\lambda = .872$; $p < .001$; $\eta^2 = .128$). Subsequently, the follow-up ANOVAs showed that compared to men, women expressed a greater discrepancy between ideal and actual body shape ($F1 = 49.420$; $p < .001$) and lower ideal body shape score ($F1 = 174.918$; $p < .001$). However, in the current body shape and social body shape, no statistically significant differences were found ($p > .05$).

broadly transcends the boundaries of the present study. The study also underlines the relevance and need of further research in this topic within the Mexican context.

Acknowledgements

This study is part of a project funded by the Secretaría de Educación Pública-Subsecretaría de Educación Superior-Dirección General de Educación Superior Universitaria de México [Mexican Ministry of Education-Department of Higher Education-General Directorate of the University Education] (OF-13-6894). Additionally, the first author is supported by a grant from the National Council of Science and Technology of Mexico (Conacyt).

References

- [1] A. Anuel, A. Bracho, N. Brito, J.E. Rondón, D. Sulbarán, Autoaceptación y mecanismos cognitivos sobre la imagen corporal, *Psicothema*, Vol. 24, pp. 390-395, 2012.

- [2] S. Banfield, M.P. McCabe, An evaluation of the construct of body image, *Adolescence*, Vol. 37, pp. 373-393, 2002.
- [3] R. Francisco, M. Alarcão, I. Narciso, Avaliação de factores de risco de desenvolvimento de perturbações alimentares: Desenvolvimento e estudos de validação da versão portuguesa do mcknight risk factor survey iv, *Revista Iberoamericana de Diagnóstico y Evaluación Psicológica*, Vol. 32, pp. 143-170, 2011.
- [4] J.K. Thompson, Introduction: Body image, eating disorders, and obesity – an emerging synthesis, in: J.K. Thompson (Ed.) *Body image, eating disorders, and obesity: An integrative guide for assessment and treatment*, American Psychological Association, Washington, D C, 2003, pp. 1-20.
- [5] M. Calaf, M. León, C. Hilerio, J. Rodríguez, Inventario de imagen corporal para féminas adolescentes (iicfa), *Revista Interamericana de psicología*, Vol. 39, pp. 347-354, 2005.
- [6] C.J. Inglés, J.A. Piqueras, J.M. García-Fernández, L.J. García-López, B. Delgado, C. Ruiz-Esteban, Diferencias de género y edad en respuestas cognitivas, psicofisiológicas y motoras de ansiedad social en la adolescencia, *Psicothema*, Vol. 22, pp. 376-381, 2010.
- [7] J. Santrock, *Adolescencia. Psicología del desarrollo*, McGraw Hill, España, 2004.
- [8] N. Solano, A. Cano, Ansiedad en los trastornos alimentarios: Un estudio comparativo, *Psicothema*, Vol. 24, pp. 384-389, 2012.
- [9] R.M. Raich, Una perspectiva desde la psicología de la salud de la imagen corporal, *Revista Avances en Psicología Latinoamericana*, Vol. 22, pp. 15-27, 2004.
- [10] C. Unikel, G. Gómez-Peresmitré, Validez de constructo de un instrumento para la detección de factores de riesgo en los trastornos de la conducta alimentaria en mujeres mexicanas, *Salud Mental*, Vol. 27, pp. 38-49, 2004.
- [11] M. Watt, L.A. Ricciardelli, A qualitative study of body image and appearance among men of chinese ancestry in australia, *Body Image*, Vol. 9, pp. 118-125, 2012.
- [12] A. Goñi, A. Rodríguez, Variables associated with the risk for eating disorders in adolescence, *Salud Mental*, Vol. 30, pp. 16-23, 2007.
- [13] M. Lameiras, M. Calado, Y. Rodríguez, M. Fernández, Hábitos alimentarios e imagen corporal en estudiantes universitarios sin trastornos alimentarios, *Revista Internacional de Psicología Clínica y de la Salud*, Vol. 3, pp. 23-33, 2003.
- [14] J. Wardle, A. Haase, A. Steptoe, Body image and weight control in young adults: International comparisons in university students from 22 countries, *International Journal of Obesity*, Vol. 30, pp. 644-651, 2006.
- [15] B. Castillo, Sociedad de consumo y trastornos de la conducta alimentaria, *Trastornos de la Conducta Alimentaria*, Vol. 4, pp. 321-335, 2006.
- [16] J. Silgado, K.R. Timpano, J.D. Buckner, N.B. Schmidt, Social anxiety and bulimic behaviors: The moderating role of perfectionism, *Cognitive Therapy and Research*, Vol. 34, pp. 487-492, 2010.
- [17] L.M. Hernández-Cortés, C. Londoño, Imagen corporal, imc, afrontamiento, depresión y riesgo de tca en jóvenes universitarios, *Anales de Psicología*, Vol. 29, pp. 748-761, 2013.
- [18] C. Mercado, Aplicación del análisis de género a los trastornos de la conducta alimentaria, *Revista de Salud*, Vol. 4, pp. 1-14, 2008.
- [19] K. Nefeli, T. Giovazolias, The effect of attachment insecurity in the development of eating disturbances across gender: The role of body dissatisfaction, *The Journal of Psychology*, Vol. 144, pp. 449-471, 2010.
- [20] G. Gastélum, H. Blanco, Versión informatizada de la escala estimación del contorno de la figura, in: Facultad de Educación Física y Ciencias del Deporte (Ed.) *X congreso internacional, facultad de educación física y ciencias del deporte*, UACH, México, 2006, pp. 285-286.
- [21] M.A. Thompson, J.J. Gray, Development and validation of a new body-image assessment scale, *Journal of Personality Assessment*, Vol. 64, pp. 258-269, 1995.
- [22] R. Hernández, C. Fernández, P. Baptista, *Metodología de la investigación*, McGraw- Hill, México, 2010.
- [23] H. Blanco, M. Ornelas, J.L. Tristán, A. Cocca, D. Mayorga-Vega, J. López-Walle, J. Vicianá, Editor for creating and applying computerise surveys, *Procedia Social and Behavioral Sciences*, Vol. 106, pp. 935-940, 2013.
- [24] M.V. Acosta, J.M. Llopis, G. Gómez-Peresmitré, G. Pineda, Evaluación de la conducta alimentaria de riesgo. Estudio transcultural entre adolescentes de España y México, *International Journal of Psychology and Psychological Therapy*, Vol. 5, pp. 223-232, 2005.
- [25] H. Blanco, M.C. Zueck, J.R. Blanco, A. Chávez, J. Jasso, Body image perception of Mexican youth: A gender comparison, *Education Journal*, Vol. 3, pp. 261-265, 2014.
- [26] G. Gómez-Peresmitré, M.V. Acosta, Valoración de la delgadez. Un estudio transcultural (México/España), *Psicothema*, Vol. 14, pp. 221-226, 2002.
- [27] M.Á. Peláez, F.J. Labrador, R.M. Raich, Prevalencia de los trastornos de la conducta alimentaria: Consideraciones metodológicas, *International Journal of Psychology and Psychological Therapy*, Vol. 5, pp. 135-148, 2005.
- [28] P.A. Englert, J.H. Crowther, G. Dalton, J.L. Sanftner, Predicting eating disorder group membership: An examination and extension of the sociocultural model, *Behavior Therapy*, Vol. 37, pp. 69-79, 2006.
- [29] B. Rodríguez, H. Oudhof, N.I. Gonzalez-Arratia, C. Unikel-Santoncini, Desarrollo y validación de una escala para medir imagen corporal en mujeres jóvenes, *Salud Mental*, Vol. 33, pp. 325-332, 2010.
- [30] I. Jáuregui, P. Bolaños, Body image and quality of life in a Spanish population, *International Journal of General Medicine*, Vol. 4, pp. 63-72, 2010.