



Knowledge
Empowering the Future

Humanities and Social Sciences



Science Publishing Group

Archive Volume 5, Issue 1, January 2017

Imported Traditional Pottery: Methods of Overcoming the Challenges for Traditional Ceramics Industries in Oman

Badar Mohammed Almamari

Pages: 1-4 Published Online: Jan. 14, 2017

DOI: [10.11648/j.hss.2017050111](https://doi.org/10.11648/j.hss.2017050111) Views [144](#) Downloads [15](#)

 [Abstract](#)

 [PDF \(217KB\)](#)

 [HTML](#)

Anxiety About Aging in University Students Comparisons by Gender

Susana Ivonne Aguirre Vasquez, Martha Ornelas Contreras, Julio Cesar Guedea Delgado, Gerardo Joel Arredondo Martell, Elia Veronica Benavides Pando

Pages: 5-8 Published Online: Jan. 19, 2017

DOI: [10.11648/j.hss.2017050112](https://doi.org/10.11648/j.hss.2017050112) Views [38](#) Downloads [2](#)

 [Abstract](#)

 [PDF \(192KB\)](#)

 [HTML](#)

Indexing

Humanities and Social Sciences has been included by the following Abstracting and Indexing databases:



WorldCat



CrossRef



JournalSeek



Zeitschriftendatenbank



EZB



Academickeys



ResearchBib



Polish Scholarly Bibliography



Wissenschaftszentrum Berlin



Directory of Research Journals Indexing



CNKI SCHOLAR



MIAR

Universal Impact Factor

Universal Impact Factor

Anxiety About Aging in University Students Comparisons by Gender

Susana Ivonne Aguirre Vasquez, Martha Ornelas Contreras, Julio Cesar Guedea Delgado, Gerardo Joel Arredondo Martell, Elia Veronica Benavides Pando

Faculty of Physical Culture Sciences, Autonomous University of Chihuahua, Chihuahua, Mexico

Email address:

vbenavides@uach.mx (E. V. B. Pando)

To cite this article:

Susana Ivonne Aguirre Vasquez, Martha Ornelas Contreras, Julio Cesar Guedea Delgado, Gerardo Joel Arredondo Martell, Elia Veronica Benavides Pando. Anxiety About Aging in University Students Comparisons by Gender. *Humanities and Social Sciences*. Vol. 5, No. 1, 2017, pp. 5-8. doi: 10.11648/j.hss.20170501.12

Received: December 14, 2016; **Accepted:** December 28, 2016; **Published:** January 19, 2017

Abstract: The aim of this research was to compare the profiles of anxiety about aging in Mexican university students to aging. The total sample was of 1669 subjects; 851 women and 818 men with a mean age of 20.53 years (SD = 2.82) and 20.89 years (SD = 2.03) respectively. The approach adopted in the research is framed within a quantitative approach with a descriptive survey design. The results of the multivariate analysis of variance followed by analyzes of univariate variance, are the ones who show higher levels of anxiety to the fear of loss of social support and autonomy, while men manifest higher levels of anxiety as to contact with the elderly. The differences between men and women regarding anxiety about aging, suggest that in designing any intervention that aims to reduce this anxiety must be taken into account gender variable. Future research should replicate these findings in larger samples.

Keywords: Anxiety, Gender Differences, Perceptions, Aging

1. Introduction

Anxiety about aging emerges from the concerns and anxieties about aging, including the global concern about the aging population and its economic and social consequences, so it is widely experienced by people of all ages [1]. Lasher and Faulkender [2] have defined anxiety about aging as the concern and anticipation of physical, mental and personal losses experienced during the aging process.

Anxiety about aging is distinguished from generalized anxiety disorder, and is strongly associated with physical and psychological well-being; it was even considered an important factor in measuring attitudes and behaviors towards the elderly. Such attitudes can be measured in three ways, first in relation to the stereotypes and prejudices against older adults because of their advanced age, a phenomenon defined as age discrimination, in an intrapersonal level, these attitudes can manifest itself through the individual's own anxieties about aging, which can be caused by the aging process and / or perhaps because of anxiety about the final result of the aging process, i.e., death

anxiety; the last two are closely associated with each other [2-4].

As Bergman and Bodner [5] points out, for some people, interaction with old people can cause anxiety and tension and even fear, this could relate to that experienced powerlessness over one's future in relation to the aging process, consequently resulting the increase of discriminatory attitudes against the elderly; however, for authors like [3, 6] voluntary interactions with older adults involving cooperation decreases anxiety, reduces discriminatory attitudes and being more aware of old people will experience lower concern for aging itself; while the highest levels of anxiety about aging itself appear to contribute to increased discriminatory attitudes towards the elderly.

Studies have consistently shown, that young adults are the ones who have a more negative opinion and have greater anxiety about their own aging process, while women show greater anxiety in relation to physical appearance [4, 7]; such negative attitudes toward aging and towards the elderly, may be the result of a combination of educational, social and economic factors as well as the preference of the consumer culture targeted at young people [7]. Anxiety towards the

elderly may be due to lack of knowledge about the aging process and lack of interaction with older people; some research suggests that, due to ignorance people have a negative view of the aging process and many people have egoistic views toward the elderly [8]; this because, generally the aging process is associated with increased susceptibility to disease, impairment of body functions and death, linking poor health with more anxiety about aging leading to discriminatory attitudes [9].

Moreover, anxiety disorders are highly prevalent throughout life, have harmful effects on the functioning in daily life, health and quality of life [10]; in the elderly it is one of the mental health problems more prevalent and debilitating and has been associated with cardiovascular diseases, stroke, cognitive impairment, urinary incontinence, diabetes, sleep disorders, lack of vitality, mortality, higher prevalence of symptoms of depression and also with participation in multiple risk behaviors for the health such as smoking, physical inactivity, poor nutrition, and abuse of alcohol [11-15].

Along the same lines, anxiety has been associated with decreased cognitive function, decreased physical activity, reduced verbal memory and decreased performance in executive functions, resulting in difficulty to complete multiple tasks at the same time, reducing the ability to participate in social functions [16, 17]. Similarly, it was found that the perception of lack of social support and negative stereotypes significantly predicted increased anxiety toward aging, and that people experience anxiety when noticing deterioration in basic activities of daily life and as they need to depend on others [13, 18].

Much is known about the negative effects of anxiety on this age group, however, dimensions and ramifications of anxiety toward aging are poorly understood; a large number of scales have been designed to assess attitudes towards aging and to the old people, however, many of these have not taken into account the multidimensional nature of aging and they lack of empirical development, hence, it is necessary a larger process of validation and replication of self-report instruments, to evaluate these symptoms with psychometrically measures, sensitive to changes caused in this stage of life, for this reason, as the population becomes increasingly older is transcendent understanding the discrimination based on age and develop strategies to reduce discriminatory attitudes and behavior against the elderly, given the harmful health consequences that this generates [3, 19, 20]. Therefore, is particularly important to investigate whether if belonging to a certain gender produces or does not a higher level of anxiety about aging.

This study attempts to identify the differences and similarities between men and women Mexican university regarding the perception of their anxiety about aging; taking into account its importance for personal psychological well-being. Consequently, this research aims, as applied research, provide information that translates into a higher quality of educational practice in the context of attention to diversity; contributing to pedagogical knowledge to the

elucidation of the factors that make a model of integral human development.

2. Method

2.1. Participants

Were 1669 subjects in the study, 851 women and 818 men, all students of the degrees offered at the Faculty of Physical Culture (FCCF) of the Autonomous University of Chihuahua. The age of the subjects ranged between 18 and 28 years, with a mean of 20.71 and a standard deviation of 1.93 years.

The sample was obtained by a convenience sample, trying to cover the representation of the different semesters of both degrees

2.2. Instrument

Aging Anxiety Scale by Lasher and Faulkender Spanish version adapted by [21]. Likert questionnaire, assisted by computer, which consists of 14 items grouped in four dimensions or subscales: (1) fear of old people, measures the external contact with others, consisting of five items with statements like "I feel very comfortable when I'm near an old person", (2) physical appearance, composed of four items containing elements related to anxiety about changes in physical appearance, for example "I worry about the day when looking myself into the mirror I see gray hair ", (3) fear of loss, refers to the fear of loss of social support and autonomy, consisting of three items and (4) psychological concerns regarding personal or internal issues; It composed of two items, according to [21] the four subscales have adequate internal consistency with Cronbach alphas above.70.

The respondent answers on a scale of 0 to 10, his grade according to each of the proposed aspects. Higher scores indicate higher levels of anxiety about aging (Figure 1).

2.3. Design

Regarding the design of the study, a quantitative approach with a descriptive and transversal survey design was used [22]. The independent variable was gender (women and men) and the dependent variables were the scores on anxiety about aging

2.4. Procedure

Students of the degrees offered at the Faculty of Physical Culture (FCCF) of the Autonomous University of Chihuahua were invited to participate.

Those who agreed to participate signed the consent letter. Then, the instrument explained above was applied using a personal computer (instrument administrator module of the scales editor of typical execution), in a session of about 15 minutes in the computer labs of the FCCF.

At the beginning of each session students were given a brief introduction on the importance of the study and how to access the instrument; they were asked the utmost sincerity and they were guaranteed the confidentiality of the data obtained.

Instructions on how to respond were found in the first screens; before the first instrument item. At the end of the session they were thanked for their participation.

Once the instrument was applied, data was collected by the results generator module of scales editor, version 2.0 [23].

2.5. Data Analysis

Descriptive statistics (means and standard deviations) for all the variables were calculated. Subsequently, after verifying that the data met the assumptions of parametric statistical analyses, was made a multivariate analysis of variance (MANOVA), followed by the univariate analysis of variance (ANOVA), to examine the differences between women and men in terms of their perceived self-concept in each of the subscales of AUDIM. The effect size was estimated by eta-squared (η^2). All statistical analyzes were made using SPSS version 20.0 for Windows (IBM SPSS Statistics 20).

The level of statistical significance was set at $p < 0.05$.

3. Results

Table 1 shows the mean values and standard deviations of self-efficacy in the five factors of the AUDIM, also the MANOVA results and the subsequent ANOVAs.

MANOVA results showed global differences statistically significant according to the gender variable in self-concept scores (Wilks $\lambda = .894$, $p < .001$; $\eta^2 = .10$).

Subsequently, ANOVAs indicated that, compared to the women students, men students show higher scores in fear of old people ($F = 118.07$, $p < .001$), and lower in Fear of Loss ($F = 34.38$, $p < .001$). While in the subscale of Physical Appearance and Psychological Concerns no significant differences were found ($p > .05$).



Figure 1. Sample answer to the questionnaire items.

Table 1. Results of MANOVA and ANOVAs for the gender differences on the five subscales of self-concept.

	women (n = 851)	Men (n = 818)	F	p	η^2
1) Fear of Old People	1.87 (1.42)	2.67 (1.58)	47.40	<.001	.10
2) Physical Appearance	3.46 (2.60)	3.51 (2.45)	118.07	<.001	.07
3) Fear of Loss	5.39 (2.45)	4.69 (2.44)	0.14	.705	.00
4) Psychological Concerns	2.08 (1.68)	2.22 (1.78)	34.38	<.001	.02
			2.52	.113	.00

Note. Descriptive values are reported as mean (standard deviation).

4. Discussion and Conclusions

The results show that, even though no significant differences between men and women in terms of Physical Appearance and Psychological Concerns were found, women are the ones who show higher levels of anxiety to the fear of

loss of social support and autonomy, while men manifest higher levels of anxiety as to contact with the elderly; which partially agrees with that reported in [24], where it is stated that women exhibited on average less ageist attitudes than men.

The results also suggest that men and women report higher

levels of anxiety as to the fear of loss and changes in the physical appearance that occur during the aging process.

The differences between men and women regarding their anxiety about aging also suggest that when designing any intervention that aims to decrease this anxiety, it will be necessary to take into account the gender variable; however, it is necessary to develop more research on this topic because the issue goes beyond the scope of this research. The importance of more research on this subject in our country is also emphasized.

Acknowledgements

This study is part of a project funded by the Secretaría de Educación Pública. Subsecretaría de Educación Superior. Dirección General de Educación Superior Universitaria de México [Mexican Ministry of Education. Department of Higher Education General Directorate of the University Education] (OF-13-6894).

References

- [1] I. Kavedžija, The age of decline? Anxieties about ageing in Japan, *Ethnos*, Vol. 81, pp. 214-237, 2016.
- [2] K. Lasher, P. Faulkender, Measurement of aging anxiety: Development of the anxiety about aging scale, *Int J Aging Hum Dev*, Vol. 37, pp. 247-259, 1993.
- [3] L. Allan, J. Johnson, S. Emerson, The role of individual difference variables in ageism, *Personality and Individual Differences*, Vol. 59, pp. 32-37, 2014.
- [4] T. Yan, M. Silverstein, K. Wilber, Does race/ethnicity affect aging anxiety in American baby boomers?, *Research on Aging*, Vol. 33, pp. 361-378, 2011.
- [5] Y. Bergman, E. Bodner, Ageist attitudes block young adults' ability for compassion toward incapacitated older adults, *International Psychogeriatrics*, Vol. 27, pp. 1541-1550, 2015.
- [6] C. Bousfield, P. Hutchison, Contact, anxiety, and young people's attitudes and behavioral intentions towards the elderly, *Educational Gerontology*, Vol. 36, pp. 451-466, 2010.
- [7] B. Luo, K. Zhou, E. Jung Jin, A. Newman, J. Liang, Ageism among college students: A comparative study between U.S. and China, *Journal of Cross-Cultural Gerontology*, Vol. 28, pp. 49-63, 2013.
- [8] S. Boswell, "Old people are cranky": Helping professional trainees' knowledge, attitudes, aging anxiety, and interest in working with older adults, *Educational Gerontology*, Vol. 38, pp. 733-741, 2012.
- [9] R. Brunton, G. Scott, Do we fear ageing? A multidimensional approach to ageing anxiety educational gerontology, *Educational Gerontology*, Vol. 41, pp. 786-799, 2015.
- [10] G. Perna, G. Lannone, A. Alciati, D. Caldirola, Are anxiety disorders associated with accelerated aging? A focus on neuroprogression, *Neural Plasticity*, Vol. 2016, pp. 1-19, 2016.
- [11] C. Andreescu, D. Varon, New research on anxiety disorders in the elderly and an update on evidence-based treatments, *Current Psychiatry Reports*, Vol. 17, pp. 1-7, 2015.
- [12] A. Estrada, D. Cardona Arango, Á. M. Segura, J. Ordoñez, J. J. Osorio, L. M. Chavarriaga, Síntomas depresivos en adultos mayores institucionalizados y factores asociados, *Universitas Psychologica*, Vol. 12, pp. 81-94, 2013.
- [13] L. Ramírez, X. Palacios-Espinosa, Stereotypes about old age, social support, aging anxiety and evaluations of one's own health, *Journal of Social Issues*, Vol. 72, pp. 47-68, 2016.
- [14] T. Strine, D. Chapman, R. Kobau, L. Balluz, Associations of self-reported anxiety symptoms with health-related quality of life and health behaviors, *Social Psychiatry and Psychiatric Epidemiology*, Vol. 40, pp. 432-438, 2005.
- [15] K. Wolitzky-Taylor, N. Castriotta, E. Lenze, M. Stanley, M. Craske, Anxiety disorders in older adults: A comprehensive review, *Depression and Anxiety*, Vol. 27, pp. 190-211, 2010.
- [16] O. Potvin, H. Forget, S. Grenier, M. Prévaille, C. Hudon, Anxiety, depression, and 1-year incident cognitive impairment in community-dwelling older adults, *Journal of the American Geriatrics Society*, Vol. 59, pp. 1421-1428, 2011.
- [17] B. Yochima, A. Mueller, D. Segal, Late life anxiety is associated with decreased memory and executive functioning in community dwelling older adults, *Journal of Anxiety Disorders*, Vol. 27, pp. 567- 575, 2013.
- [18] M. Arroyo, L. Soto, La dimensión emocional del cuidado en la vejez: La mirada de los adultos mayores, *Cuadernos de Trabajo Social*, Vol. 26, pp. 337-347, 2013.
- [19] C. Gould, D. Segal, B. Yochim, N. Pachana, G. Byrne, S. Beaudreau, Disorders measuring anxiety in late life: A psychometric examination of the geriatric anxiety inventory and geriatric anxiety scale, *Journal of Anxiety Disorders*, Vol. 28, pp. 804-811, 2014.
- [20] K. Sargent-Cox, M. Rippon, R. Burns, Measuring anxiety about aging across the adult lifespan, *International Psychogeriatrics*, Vol. 26, pp. 135-145, 2014.
- [21] M. Ornelas, G. Gastelum, J. López-Walle, J. M. Rodríguez-Villalobos, Composición factorial de la escala de ansiedad ante el envejecimiento de Lasher y Faulkender en estudiante universitarios mexicanos *Formación Universitaria*, Vol. 9, pp. 73-80, 2016.
- [22] R. Hernández, C. Fernández, P. Baptista, *Metodología de la investigación*, McGraw- Hill, México, 2010.
- [23] H. Blanco, M. Ornelas, J. L. Tristán, A. Cocca, D. Mayorga-Vega, J. López-Walle, J. Vicianá, Editor for creating and applying computerised surveys, *Procedia Social and Behavioral Sciences*, Vol. 106, pp. 935-940, 2013.
- [24] D. J. L. Serrani-Azcurra, La ansiedad ante el envejecimiento como mediador de actitudes ageístas en estudiantes de psicología, *Revista de Educación y Desarrollo*, Vol., pp. 5-12, 2012.